

PRODUCT CATALOG EDITION 4







RESPIRATORS

- 6 Z-Link®
- 22 Comms-Link®
- **26** Z3[™] Welder
- **36** Z100[™] Series
- **44** Nova 3®
- **56** Nova 3® Talk™
- **64** L4[™] Light
- **72** Nova 2000®
- **82** Nova 2000® Talk™
- **90** Nova 1®
- **102** Nova 1® Talk™
- **110** Astro™
- **120** T100[™] Series
- **130** T150™ Series

AIR MONITORING FILTRATION AND SUPPLY

- **140** PX4 Air® PAPR
- 150 GX4® Gas Monitor
- 160 Radex® Airline Filter
- 174 Radex® Ambient Air Pump
- **176** Air Supply
- **180** C40™ Climate Control Device
- 188 Flow Control

SAFETY ESSENTIALS

- 198 Blast Suit
- 204 Safety Glasses
- **205** Do-rag
- 205 Head Sock
- **205** Leather Blasting Gloves
- **205** S100™ Ear Plugs
- 205 Knee Pads

PACKAGES

208 Packages

PARTS INDEX

224 Full Parts Index





ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB® Z-Link® is more than a product. It's a system. The most versatile multi-purpose respirator on the planet. From welding and grinding to chemical handling, the Z-Link® serves the widest spectrum of industries and applications on the market.

The Z-Link®'s large visor enables you to operate with a widened perspective. It features exceptional downward and peripheral vision combined with a visor that hinges open for free air breathing and easy communication. Engineered to advance your safety. Designed to increase your productivity.

Inspired by military innovation, our R&D Special Ops Unit has relentlessly refined every last detail. The team has traveled the world to meet with and listen to operators. Ultimately, these refinements have enabled RPB® users to work smarter, not harder. Save crucial energy, time and costs in competitive industry environments, where elite protective equipment is often overlooked.

The Z-Link® is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



C€ 0194 EN14594:2005 EN12941:1998+A1:2003+A2:2008

TH3 P R SL

EN166:2002

HIGH VELOCITY IMPACT FOR EYE & FACE

ANSI Z87+ ANSI Z89.1

EN397:2012+A1:2012 HARD HAT

PROTECTION

SUPERIOR COMFORT

The first padded multi-purpose respirator on the planet. A fully-adjustable Comfort-Link™ Fit System allowing for total control on helmet and head placement including the 360-degree adjustable head band and reversible brow pad.







Z-LINK+®





ELITE MULTI-PURPOSE RESPIRATORY PROTECTION

The RPB® Z-Link+® is the result of extensive user testing in demanding welding environments. Elite welding professionals benefit from reduced downtime and fatigue and increased productivity.

As the Z-Link+® clips directly onto your main visor, you can seamlessly weld with crystal-clear vision and the ability to lift up your visor to check welds and instantly begin grinding.

The Z-Link+® includes the large RPB® ADF lens with the 1.1.1.1. rating in optical quality. The all-important fourth "1", advanced angular dependence control, guarantees uniform shading and distortion-free vision, allowing you to work comfortably and effortlessly for hours across different angles.

The addition to the Z-Link® certifications, the Z-Link+® is certified to the standards below.



WELDING EYE PROTECTION ANSI Z87W
EN379:2003+A1:2009
WELDING EYE

PROTECTION

REMOVABLE WELDING VISOR

The Z-Link+® clips directly onto your main visor, enabling you to lift up your visor to check welds and to instantly begin grinding. For extended periods of grinding the visor is easily removed at the hinge points.











For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





Z-LINK® PACKAGES

Z-LINK® Z-Link+® PX4 Air® PAPR PX4 Air® Breathing Tube (for Z-Link®) Zytec® FR Shoulder Cape Part # 16-079-21-FR

For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:



Z-LINK® PARTS





Z-LINK® PARTS







Z-LINK® PARTS











Tear-off Lens (pk 50)





RESPIRATORS | ₺ | Z-LINK® - PARTS









Welding Visor (includes ADF Lens)

Part # 16-670

Welding Visor Part # 16-671











Push to Talk Button

Part # 09-913

Motorola Connection Cable (multi-pin) Part # 09-931



Kenwood Connection Cable (two-pin)

Part # 09-933



Motorola Connection Cable

(multi-pin)

Part # 09-932

Motorola Connection Cable (mul Part # 09-934

Motorola Connection Cable (two-pin)

Part # 09-930















Communication Retainer Clip

Part # 16-529



Z3[™] WELDER

ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY





ULTIMATE RESPIRATORY PROTECTION & OPTICAL QUALITY

As the predecessor to the new, multi-purpose Z-Link+®, the RPB® Z3™ Welder combines respiratory protection with breakthrough optical technology.

Proven to deliver welding professionals with a comfortable working environment, the $Z3^{\text{\tiny M}}$ Welder exceeds the demands of the most quality-conscious companies, while surpassing the most rigorous industry standards.

Advance your workplace safety with a product that boasts a range of truly unique design and engineering features. The Z3™ can withstand extreme temperatures without distortion due to the high performance nylon shell construction. The adjustable airflow disperser means that you can operate in a comfortable and fume-free breathing zone.

The Z3™ Welder includes the RPB® OCV filter with advanced angular dependence control providing uniform shading and distortion free vision to work comfortably across different angles. It features superior color definition in both open and activated states, allowing you to easily identify heat definition and displays on equipment.

The Z3[™] has been rigorously tested through conventional safety testing methods in addition to field testing. It certified to the standards below and conforms to AS/NZS 1716:2012.



C € 0194 EN12941:1998+A1:2003+A2:2008

TH2 P R SL

AS/NZS 1338.1:2012

1338.1:2012
WELDING EYE
PROTECTION


ANSI Z87W

EN379:2003+A1:2009 WELDING EYE

PROTECTION







The Z3™ adjustable direction airflow provides clearer vision and less downtime.







For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





Z3™ WELDER


OPEN STATERPB® OCV COLOR DEFINITION

The OCV Filter range offers superior color definition in both the open and activated state, allowing the operator to clearly see LED displays on machines and equipment, as well as heat definition on the actual weld.






CLOSED STATE RPB® OCV OPTICAL QUALITY The OCV filter boasts a 1/1/1/1 optical quality rating which is the world's best. This means a clear view from a wider range of angles, reducing eye fatigue and increasing your productivity.



40% MORE VIEWING WITH THE RPB® OCV ULTRA ADF (110X110)

- Viewing Area: 10.1 square inches (3.78" x 2.68")
 Light state: Shade 4. Dark state: Selectable shades 9-13
- Fast, reliable switching speed: 0.15ms at 73°F / 23°C
- Adjustable delay from dark to light (0.2 to 0.8 seconds)
- Weight (ADF only): 5.64 oz / 160g.

 Temperature range: 14°F to 140°F / -10°C to +60°C
- 3 year warranty
- 2 Sensors: it is the quality not the quantity of sensors that provide the fast reaction time of the filter
- Sensitivity and delay adjustment on case
- Highest quality wide view ADF available
- Constant UV/IR protection
- Accommodates standard 4" x 5" front cover lens
- Adapts to standard magnifying lens
- Solar powered
- Best optical quality in industry 1/1/1/1 DIN Rating
- Suitable for all types of electro-arc welding, including covered electrodes, MIG/MAG, TIG/WIG, plasma welding and cutting. NOT FOR LASER OR GAS WELDING.





Z3™ WELDER PARTS











Hose Holder




ADF Ultra Filter




Magnifying Lens Holder Part # 13-071





















Comfort Padding

Hard Hat (includes 13-045)

Part # 13-325







Z100™ SERIES





LIGHTWEIGHT PROTECTION WITH SAFETY AT THE FOREFRONT

The RPB $^{\circ}$ Z100 $^{\circ}$ Series is the leading cost-effective replaceable and disposable armor on the market.

The Z100™ is manufactured from RPB® Zytec® Fabric. It is a lightweight hood that offers superior comfort in comparison with conventional, tight, full-face respirators. The hood protects the operator's entire head, eliminating the need for a head sock.

Used throughout a variety of industries from grinding to brazing, the Z100[™] is equally lightweight as it is economical. Without incurring significant additional expenses, operators benefit from the Z100[™]'s advanced safety and superior quality while increasing productivity.

Additionally, users with facial hair commonly convert to this loose-fitting respirator, without jeopardizing or compromising on protection.



SAVE TIME & MONEY

With the loose-fitting Z100™ Respirator, there is no need for time consuming fit testing, saving you time and money while maintaining OSHA compliance.












For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





Z100™ SERIES PARTS









ISOSOOI

NOVA 3®



THE WORLD'S MOST ADVANCED **HEAVY INDUSTRY RESPIRATOR**

The verdict is in: the RPB® Nova 3® respirator has been heralded as the industry's definitive benchmark in abrasive blasting.

With breakthrough protection technology and previously unseen advanced comfort and functionality features, the Nova 3® is designed to advance safety and productivity.

For over 40 years, users have been choosing RPB® respirators as the most comfortable across a number of industries. Operators claim the Nova 3® is the lightest and most comfortable heavy industry respirator they've ever used. It's unique weight distribution design distributes the helmet's weight evenly across the head and shoulders for optimum comfort and movability.

A ratchet adjustable neck pad ensures appropriate head support. The molded inner 'Clever Fit Padding' design (patent pending) helps absorb sound, protect hearing and is fully adjustable. It allows for unique customization to correctly fit all users and is easily removable and washable.

Although many claim safety is paramount, we walk the talk. The Nova 3® has been rigorously tested in both controlled and field testing environments - the results speak for themselves. It is certified to the standards below and conforms to AS/NZS 1716:2012, AS/NZS 1336:2014, AS/NZS 1801:1997.



EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH3 PRSI

ANSI Z87+ ANSI Z89.1 EN166:2002

HIGH VELOCITY IMPACT FOR EYE & FACE

EN397:2012+A1:2012


HARD HAT **PROTECTION**

BOOST PRODUCTIVITY RPB®'s NV3-745 cassette lens is a unique system of one outer lens fused with five

tear-off lenses which have pre-folded tabs.



*From local and globally sourced components.









NOVA 3® Breathing Tube
Flow Control Valve
Nylon Respirator Cape
Part # NV3-702-50



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:















NOVA 3® PARTS








RESPIRATORS | S | NOVA 3*-PARTS

Padding Connectors (left and right)

Part # NV3-730









NOVA 3® PARTS











Cape Cover Band

Part # NV3-759



Air Inlet Kit

Part # NV3-729





NOVA 3® TALK™

NOVA 3 TALK



ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 3® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 3® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shippards, water towers and any area that is difficult to access. The Nova 3® Talk™ offers users features that include push to talk simplicity, a noise-cancelling microphone, pillow foam padding, multiple harness options and much more.




NOVA 3® TALK™ PARTS
























TORS | S | NOVA 3 TALK" - SPECIFICATIONS

NOVA 3® TALK™ PARTS


Motorola Connection Cable (multi-pin)
Part # 09-931




Kenwood Connection Cable (two-pin)



Motorola Connection Cable (multi-pin)







NOVA 3® TALK™ SPECIFICATIONS

MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR05750, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3500, XTS3500, XTS5000, GP1200.

Part # 09-934



KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-372G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.



L4[™] LIGHT

ADVANCED HELMET LIGHTING SYSTEM





ADVANCED HELMET LIGHTING SYSTEM

Blasting in the dark can be awkward and dangerous. The RPB® L4™ Light, minimizes workplace safety hazards, reduces downtime and ensures that you have sufficient light.

The RPB® L4™ Light provides a steady, highly concentrated output of light to your field of vision. Its high-powered LEDs produce up to 500 lumens of concentrated light output with a compact, lightweight battery pack that mounts comfortably and securely on your belt.

The L4™ Light features a low-profile design, enhancing operator control with minimum protrusion and mounts securely to the top of the RPB® Nova 3® Respirator, providing light wherever the operator looks, eliminating the safety risks and inefficiencies associated with outdated nozzle lights.

Although applications have expanded since launch, it was originally developed to overcome the global need for light to assist blasters in tanks and other confined spaces where light is scarce.

EXTRA LONG LIFE

Long lasting Li-ion battery lasts up to 12 hours on a single charge.

Batteries recharge in 3-4 hours. The lightweight battery pack mounts on your belt.









L4™ LIGHT With 8 hour Battery Pack
Part # 09-501-8
With 4 hour Battery Pack
Part # 09-501-4
(AU/NZ, EU and UK cables also available)

For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





L4[™] **LIGHT PARTS**











ADVANCED ABRASIVE BLASTING HELMET

As the predecessor to the Nova 3°, the RPB° Nova 2000° was designed specifically for blasting, focusing on improved operator comfort to boost performance and productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 2000® meets worldwide respiratory protection standards including NIOSH, CE and AS/NZS.

Today's high safety standards in industry environments make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 2000® has proven to minimize the risks to employees and businesses worldwide.

The Nova 2000® is certified to the standards below and conforms to AS/NZS 1716:2012.



C€ 0194

EN14594:2005

TH3 P R SL

EN12941:1998+A1:2003+A2:2008

EN166:2002


HIGH VELOCITY IMPACT FOR EYE & FACE

ANSI Z87+ ANSI Z89.1


EN397:2012+A1:2012

HARD HAT PROTECTION





Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" Tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.



NOVA 2000® Breathing Tube
Flow Control Valve
Nylon Respirator Cape
Part # NV2000



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:














Hand Strap

Part # NV2042









Visor Kit

Part # NV2004

Inner Lens (pk 10)

Part # NV2018

NOVA 2000® PARTS



Cape Cover Band

Part # NV2013















NOVA 2000® TALK™

ADVANCED IN-HELMET COMMUNICATION SYSTEM



NOVA 2000® TALK™

NOVA 2000® TALK™ PARTS





ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 2000® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 2000® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shippards, water towers or any area that is difficult to access. The Nova 2000® Talk™ offers users features that include push to talk simplicity, a noise-cancelling microphone and pillow foam padding.









NOVA 2000® TALK™ PARTS

Intrinsically Safe







NOVA 2000® TALK™ PARTS

Motorola Connection Cable (two-pin)

Part # 09-930

Motorola Connection Cable (multi-pin)

Part # 09-931



Kenwood Connection Cable (two-pin)



Motorola Connection Cable (multi-pin)





NOVA 2000® TALK™ SPECIFICATIONS

MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200.

Part # 09-934



KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



NOTE: If the radio you are looking for is not in the above list, contact us Toll Free on 1-866-494-4599 as there is a chance we may be able to find a cable to suit.





NOVA 1[®]





SAFER, TOUGHER & MORE COMFORTABLE

With a robust and large flat lens, the RPB® Nova 1® boasts all the same design features of the Nova 2000® that improve operator comfort and boost productivity.

Featuring best-in-class hearing protection with multi-layered sound deadening foam, a streamlined air flow system and an abrasion resistant shell, the Nova 1® meets worldwide respiratory protection standards including CE and AS/NZS.

Today's high safety standards make on-site health and safety a top priority. Non-compliance or outdated equipment can likely result in unexpected costs including business disruption, injuries to valued operators and negative effects on your company's reputation. Year after year, the Nova 1® minimizes the risks to employees and businesses worldwide.

Between the Nova 3®, Nova 2000®, Astro™ and Nova 1®, RPB® Safety has established itself consistently over decades as the definitive market leader in the abrasive blasting industry.

The Nova 1® is certified to the standards below and conforms to AS/NZS 1716:2012.

C€0194

EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH3 P R SL

ANSI Z87+ ANSI Z89.1

HIGH VELOCITY IMPACT FOR EYE & FACE

EN397:2012+A1:2012

HARD HAT PROTECTION

BOOST PRODUCTIVITY Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" Tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time. 1-866-494-4599 | rpbsafety.com ,,,,,,,,,,,,,,,,,



*From local and globally sourced components.





NOVA 1®
Breathing Tube
Constant Flow Valve
Nylon Respirator Cape
Part # NV1-711-50



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:














NOVA 1® PARTS







NOVA 1® PARTS







PX4 Air® Breathing Tube

(for Nova 1®)
Part # 04-838

NOVA 1® PARTS











NOVA 1[™] TALK[™]

ADVANCED IN-HELMET COMMUNICATION SYSTEM



NOVA 1® TALK™

NOVA 1[®] TALK[™] PARTS





ADVANCED IN-HELMET COMMUNICATION SYSTEM

Communicate effortlessly and safely with your fellow blasters, pot tenders and team members, without having to stop what you're doing.

The undisputed champion of industrial team radio, the RPB® Nova 1® Talk™ has transformed the productivity, communication and safety of operators and businesses worldwide. The Nova 1® Talk™ is a wireless communication system, ideal for users in remote locations such as crews in tanks, shippards, water towers and any area that is difficult to access. The Nova 1® Talk™ offers users features that include push-to-talk simplicity, a noise-cancelling microphone and pillow foam padding.










NOVA 1® TALK™ PARTS

Intrinsically Safe







RS G NOVA 1º TALK" - SPECIFICATIONS

NOVA 1[®] TALK[™] PARTS

Motorola Connection Cable (two-pin)

Part # 09-930

Motorola Connection Cable (multi-pin)



Kenwood Connection Cable (two-pin)



Motorola Connection Cable (multi-pin)





NOVA 1[®] TALK[™] SPECIFICATIONS

MOTOROLA TWO-PIN RADIO MODELS

AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600.

PART # 09-930



MOTOROLA MULTI-PIN RADIO MODELS

CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PR05150, PR05350, PR05450, PR05550, PR07150, PR07350, PR07450, PR07550, PR07750, PR09150, PTX700, PTX760, PTX780.

PART # 09-931

Turbo, APX 7000, XPR6300, XPR6500, XPR6550, APX7500.

Part # 09-932



GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3500, XTS3500, XTS5000, GP1200.

Part # 09-934



KENWOOD TWO-PIN RADIO MODELS

TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-6A,TH-G71A, TH-K2AT, TK-2100, TK-2102,TK-2130, TK-2160, TK-2170, TK-220, TK-2000,TK-2200LP, TK-2212L, TK-230VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D,TK-260G, TK-270G, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200LP, TK-3200LP, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312.

Part # 09-933



NOTE: If the radio you are looking for is not in the above list, contact us

Toll Free on 1- 866-494-4599 as there is a chance we may be able to find a cable to suit.





Hand strap for easy transportation and storage.

Flexible

tube.

breathing

RESPIRATORS [比]



THE LIGHTWEIGHT INDUSTRY BENCHMARK FOR ABRASIVE BLASTING

The undisputed economical champion for an abrasive blasting helmet. The RPB® Astro meets safety standards worldwide, including Australia, Europe and the USA.

Weighing only 2.6lb/1.2kg (excluding the breathing tube), the Astro™'s revolutionary lightweight design has proven to reduce operator fatigue and downtime.

For users in search of a flat lens respirator, the Astro™'s best-in-class cape attachment and low lifetime maintenance and parts replacement costs offer users and businesses an unbeatable value and return on investment.

And unlike other flat lens respirator manufacturers, at RPB® Safety, we don't take shortcuts and we refuse to compromise on quality. Our rigorous production standards ensure a robust build and quality from shell to seams.

The Astro™ is certified to the standards below and conforms to AS/NZS 1716:2012.

NOSH AIR RESPIRATOR

C€ 0194

EN14594:2005 EN12941:1998+A1:2003+A2:2008 **ANSI Z87+ ANSI Z89.1**

HIGH VELOCITY IMPACT FOR EYE & FACE

EN397:2012+A1:2012

PROTECTION



Abrasive-resistant polyethylene helmet shell. Large flat lens. Optional tear-off lenses.

Unique, high-strength visor strap.


Removable head suspension allows for easy cleaning.

Sturdy visor frame with molded hinge.

Replaceable cape cover band.







Contractors have reported a time saving of over 45 minutes per day per blaster by using the RPB® "Fit & Save™" Tear-off lenses that have individually pre-folded tabs, meaning workers are guaranteed to tear off only one lens at a time.






For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:









ASTRO™ PARTS













SUPERIOR LIGHTWEIGHT PROTECTION

The RPB® T100™ Series is the leading cost-effective replaceable and disposable armor on the market. Maximize your economic return with this supplied air respirator that provides lightweight protection and premium quality.

Used throughout a variety of industries from industrial spray painting to chemical handling, the T100™ has been designed to be robust enough to reuse but cost effective enough to discard after use.

It is manufactured from DuPont® Tychem® and offers superior comfort compared to conventional, tight, full-face respirators. The hood also protects the operator's entire head, eliminating the need for a head sock. And its wide-angle lens delivers optimum vision.

A large variety of hood options with different features are available, including the option of the unique ANSI Z87.1+ High Velocity Impact Lens.

Additionally, users with facial hair commonly convert to this loose-fitting respirator, without jeopardizing or compromising on protection.

APPLICATIONS INCLUDE

- Spray painting and coating applications
- Pharmaceutical manufacturing
- Waste management
- Materials handling and chemical stripping

The T100™ Series is available in two different materials:

Dupont® Tychem® QC and Dupont® Tychem® SL. Dupont® Tychem® SL is widely used in waste management, hazardous response, nuclear environments, and other challenging industries. This version is Saronex coated, providing at least 30 minutes of protection against over 120 chemical substances.






■ Chemical and pesticide handling







For work sites that require head protection, the T100™ offers a ANSI Z89.1 compliant Hard Hat that has a 6-point harness providing excellent stability and comfort. Choose between the head suspension and the ANSI Z89.1 Type 1E Hard Hat.











For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:







Tychem® QC Hood


Part # 07-110






















RESPIRATORS | 13 T100" SERIES - PARTS

Supplied Air Breathing Tube (for T100™)

Part # NV2021F

T100™ SERIES PARTS









T150 SERIES™

THE ULTIMATE AIR SUPPLIED FULL-FACED RESPIRATOR



RESPIRATORS | 応

Soft Silicon (green)

T150[™] SERIES



THE ULTIMATE AIR SUPPLIED **FULL-FACE RESPIRATOR**

A limited viewing area is a hazard for employees on industrial work sites, increasing risks such as tripping, falling, or even long-term eye-sight damage. Enter the RPB® T150™ NIOSH approved Type C respirator, which minimizes these risks and offers operators a superior comfort, vision and safety across a spectrum of applications from chemical stripping to spray painting and coating.

The T150™ is manufactured from polycarbonate, making it robust, yet comfortable enough for all-day protection. It has an adjustable six-point harness and a soft silicone or thermoplastic (TPR) face seal that fits perfectly to the contours of the user's face, creating an airtight seal. It also features a panoramic lens that has been specially treated to prevent fog, scratches and acid wear and tear.

When operating in confined space applications requiring a full-face respirator, work in comfort with the knowledge that you and your team are receiving the most elite protection available.

APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management



BOOST PRODUCTIVITY

Protect the main lens from chemical splash, spray drift or dust with peel-off protective lenses. Pre-folded tabs ensure workers can quickly tear off just one layered lens at a time.

Available in comfortable textile or rubber. Adjustable head harnesses attach via six
















For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





T150™ SERIES PARTS











FILTRATION & SUPPLY SUPPLY



PX4 AIR® PAPR





THE ULTIMATE POWERED AIR PURIFYING RESPIRATOR

The RPB® PX4 Air® is a robust and versatile Powered Air Purifying Respirator (PAPR) that provides clean breathing air to the full range of RPB® Safety's industry leading respirators.

Whether you're welding, grinding, blasting, painting or in a laboratory, the RPB® PX4 Air® can serve all your mobile respiratory needs.

The PX4 Air® optimizes user safety, comfort and portability. Users benefit from the safety of clean breathing air without the restriction of attached airlines, providing complete flexibility to move around as the job requires. It is NIOSH and CE certified and exceeds the requirements of AS/NZS.

APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management
- And many more!



C € 0194 EN12941:1998+A1:2003+A2:2008 Air flow filter cartridge condition can be checked with the easy to use flow control tester.



Long life, lightweight, Lithium rechargeable battery. Operates up to 13 hours on a single charge. Has a quick test button to view the current battery charge.



LED DISPLAY

The LED display shows battery life and fan speed. When flow is below the minimum requirements the unit alerts you by an audible and vibrating alarm.









For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:





PX4 Air® Breathing Tube (for Z-Link®) **Part # 04-835** (for T100™, Z100™) **Part # 04-836** (for Nova 3®, Nova 1®) **Part # 04-838** (for Z3™, T150™) **Part # 04-839**



Flow Meter

2" Belt with Nylon Buckle
Part # 07-765
2" NOMEX® Belt
with Acetal Buckle
Part # 07-765-FR







AIR MONITORING FILTRATION & SUPPLY [호] PX4AIR® PAPR-PARTS

PX4 AIR® PAPR PARTS









GX4® GAS MONITOR





THE ULTIMATE GAS DETECTION MONITOR

Dangerous levels of toxic gases can cause severe injury or death. The RPB® GX4® Gas Monitor gives you the complete confidence that the air you and your employees breathe is safe.

Gases such as carbon monoxide are invisible to all the human senses, yet are commonly found in industrial premises worldwide. While low-level exposure may not be immediately fatal, ongoing contact at low levels has a cumulative effect, causing serious illness and long-term health concerns. Early symptoms can be mistaken for the flu, headaches or tiredness. It is a serious problem which is commonly overlooked.

The GX4® can detect up to four gases simultaneously. It includes smart device and cloud integration capabilities enabling you to view your air quality from any device, while sensors are displayed online in real time.

APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management

Connect to the GX4® from your laptop, tablet, phone or even network to view real time data, download logs, alter alarm points and much more.





GAS SENSORS

A range of pre-calibrated gas sensors are available including CO, $\rm O_2$ and $\rm H_2S$. All have a 2 year shelf life.










For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown Other packages include:


























GX4® GAS MONITOR PARTS

Auxiliary Cable 50' with Bare End Part # 08-434

Calibration Adapter Kit Part # 08-450







Auxiliary Strobe and Alarm Tower



Zero Air (20.9% Oxygen in Nitrogen) Part # 08-460 20ppm CO (20ppm Carbon Monoxide in Air) Part # 08-461 20ppm H₂S (20ppm Hydrogen Sulfide in Nitrogen)

Part # 08-462





AIR MONITORING FILTRATION & SUPPLY $|\vec{\omega}|$ **GX4®GAS MONITOR - PARTS**



AIR MONITORING FILTRATION & SUPPLY $|ec{\wp}|$ RADEX°AIRLINE FILTER

RADEX® AIRLINE FILTER





ADVANCED FILTRATION CAPACITY & VERSATILITY

Polluted air can be the cause of major health issues and, at the very least, can adversely affect operator comfort and productivity. The RPB® Radex® Airline Filter improves the quality of the air your employees are breathing and exceeds industry filtration standards so you can be assured that your operators won't suffer the consequences of breathing contaminated air.

The filter is fitted with a large capacity, 6-stage filter cartridge that removes moisture, odor and particulates to 0.5 micron from the compressed air stream, providing clean, breathable air. The Radex® features a unique twist-and-lock wall and floor mounting system.

An optional auto drain valve is available to fit to your filter that continually removes moisture from the filter housing, increasing the lifespan of the filter cartridge.






6 OUTLET SYSTEM

Upgrade to the 6-outlet system to provide filtration to six separate airlines from one filter.











For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown



RADEX® AIRLINE FILTER PACKAGES



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown



For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown



AIR MONITORING FILTRATION & SUPPLY $\left| ec{\omega} ight|$ RADEX $^{\circ}$ AIRLINE FILTER - PARTS

RADEX® AIRLINE FILTER PARTS

RADEX® AIRLINE FILTER PACKAGES




For more package options please refer to the tables at the rear of this catalog. Alternatively, visit rpbsafety.com/buildyourown




























Replacement Radex®

Filter Cartridge



Brass Elbow
Part # 04-928











RADEX® AMBIENT AIR PUMP PACKAGES









AIR SUPPLY PARTS



100' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings) Part # NV2027



Quick Release 3/8" Hose Tail









25' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Filtings)

Part # NV2028

10m Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fillings)

Part # NV2028CE



1/2" Hansen Coupler Part # 9700-72AD



100' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings*)

Part # NV2036

50' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings*)

Part # NV2035



*(Note: for use with low pressure air pumps)





C40™ CLIMATE CONTROL DEVICE



Increase or decrease the airflow

by turning the flow control dial.



ADVANCED AIR TEMPERATURE CONTROL SYSTEM

Working in an environment where the temperature is comfortable is key to maximizing productivity. The RPB $^{\circ}$ C40 $^{\circ}$ Climate Control Device can heat and cool your supplied air as desired.

With the slide of a lever, your employees can switch from heating to cooling ensuring they are comfortable whether they're in the searing heat of the Arizona summer, a severe Scandinavian winter or anywhere in between.

The RPB® C40™ can cool incoming air by up to 52°F (29°C) or heat it by up to 33°F (18°C). This is achieved by simply switching the mixing lever from hot to cold. The device is lightweight and ergonomically designed to sit comfortably on the operator's hip. The RPB® C40™ pairs with most of our respirator range.

APPLICATIONS INCLUDE

- Spray painting, coating and confined space applications
- Pharmaceutical manufacturing
- Chemical, pesticide and materials handling
- Chemical stripping
- Waste management

Exhausted air is directed away from the operator's body, eliminating the need for a heat shield or heat resistant clothing.



excluding belt. Easily adjust the temperature using this lever. Choose from a range of plugs Manufactured from to suit your application. robust materials, designed and tested for the harshest conditions. Air inlet swivels 360° to ensure the device sits comfortably on the operator's hip.

Durable belt for maximum comfort.

LOW MAINTENANCE

Low maintenance required. The air silencers are the only parts that need cleaning or replacing.





Made in USA:

Lightweight - weighing

only 9.8oz (277 grams)



C40™ CLIMATE CONTROL DEVICE (NIOSH approved)

Part # 03-501
C40™ CLIMATE CONTROL DEVICE (CE approved)

Part # 03-502






AIR MONITORING FILTRATION & SUPPLY $\left| \vec{\omega} \right|$ C40" CLIMATE CONTROL DEVICE - PARTS

C40™ CLIMATE CONTROL DEVICE PARTS









COLD AIR TUBE



ADVANCED AIR TEMPERATURE CONTROL

The RPB® Cold Air Tube is part of RPB® Safety's range of economical climate control assemblies. It significantly cools your air supply for optimum performance and comfort when operating in climate and environmental extremes.

RPB® 4000-01 COLD AIR TUBE ASSEMBLY

The RPB® 4000-01 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It cools compressed breathing air entering respirators by as much as 32°F(18°C).



HOT AIR TUBE




ADVANCED AIR TEMPERATURE CONTROL

The RPB® Hot Air Tube is part of RPB® Safety's range of economical climate control assemblies. It significantly heats your air supply for optimum performance and comfort when operating in climate and environmental extremes.

RPB® 4000-20 HOT AIR TUBE ASSEMBLY

The RPB® 4000-20 is manufactured from engineering grade plastic which is extremely robust and ideal for the rigors of the workplace. It warms compressed breathing air entering respirators by as much as 30°F(17°C).





FLOW CONTROL PARTS







AIR MONITORING FILTRATION & SUPPLY $\left\lfloor \frac{G}{G} \right floor$ **FLOW CONTROL - PARTS**

FLOW CONTROL PARTS











BLAST SUIT





ADVANCED COMFORT & USABILITY

The nature of abrasive blasting creates dangerous environments for operators. The RPB® Blast Suit provides ultimate protection and comfort to the operator, advancing your safety and increasing your productivity.

The blast suit features triple stitching for durability and replaceable knee pads for extra comfort and protection.

RPB® Blast Suit Size	e Chart (IN	СН)					
SIZE	М	L	XL	XXL	XXXL	XXXXL	
CHEST	38	40	42	44	46	48	
WAIST	34	36	38	40	42	44	
HIP	40	42	44	46	48	50	
TOTAL LENGTH	62	63	64	65	66	68	
INSIDE LEG	30	30	30	30	30	30	

ADDITIONAL COMFORT

Sore knees from kneeling? Try the RPB® unique Knee Pad which insert into the Blast Suits internal knee pockets for maximum comfort.









ADVANCED SAFETY SUPPORT

As you know, it is essential to take care of small details to protect your employees in dangerous environments. How can you be certain that your employees are completely protected? RPB®'s safety essentials range takes care of the details, and are ideal for use in conjunction with our respiratory equipment, ensuring your employees are completely safe, comfortable and productive.

SAFETY GLASSES

The RPB® Safety Glasses advance your safety and increase your productivity as they are protective, comfortable, cost effective and reliable. Three different styles are available, each with either clear or smoked lenses.

Safety Glasses - Clear Part # 18-221-C



Plus Safety Glasses - Clear Part # 18-241-C







Plus Safety Glasses - Smoked Part # 18-241-S

Ultra Safety Glasses - Clear Part # 18-261-C

Ultra Safety Glasses - Smoked Part # 18-261-S







HEAD SOCK

The RPB® Head Socks provide protection from overspray and dust.

Part # 05-601

S100™ EAR PLUGS

The RPB® S100™ Ear Plugs are manufactured from soft, quality foam. They feature the comfortable "bell shape". NRR 32 decibels.

Part # 18-322



The RPB® Do-rag is made from soft, breathable cotton fabric, and features a sweat band to keep sweat out of the operator's eyes when wearing a respirator.

Part # 05-613





LEATHER BLASTING GLOVES

The RPB® Leather Gloves are made from premium quality leather with Kevlar stitching for durability. They feature a double layer palm and extra leather strip on the outside for additional protection. The lining is soft and comfortable.

Part # 07-701











® PRODUCT CATALOG EDITION 4 [12] PACKAGES

PACKAGES

Z-LINK®

FACE SEAL MATERIAL	WELDING VISOR	AIR FLOW DEVICE	PART#
		CONSTANT FLOW VALVE	16-011-12
		CONSTANT FLOW VALVE - CE	16-011-12-CE
		FLOW CONTROL VALVE	16-012-12
		COLD TUBE	16-013-12
TYCHEM® QC	NO WELDING VISOR	HOT TUBE	16-014-12
		C40™ CLIMATE CONTROL DEVICE	16-015-12
		CONSTANT FLOW VALVE - LOW PRESSURE	16-016-12
		PX4 AIR®	16-019-12
		PX4 AIR® - GLOBAL	16-019-12-G
	NO WELDING VISOR	CONSTANT FLOW VALVE	16-011-13
		CONSTANT FLOW VALVE - CE	16-011-13-CE
		FLOW CONTROL VALVE	16-012-13
		COLD TUBE	16-013-13
TYCHEM® SL		HOT TUBE	16-014-13
		C40™ CLIMATE CONTROL DEVICE	16-015-13
		CONSTANT FLOW VALVE - LOW PRESSURE	16-016-13
		PX4 AIR®	16-019-13
		PX4 AIR® - GLOBAL	16-019-13-G

Z-LINK® continued

FACE SEAL MATERIAL	WELDING VISOR	AIR FLOW DEVICE	PART#
		CONSTANT FLOW VALVE	16-011-11
		CONSTANT FLOW VALVE - CE	16-011-11-CE
		FLOW CONTROL VALVE	16-012-11
		COLD TUBE	16-013-11
	NO WELDING VISOR	HOT TUBE	16-014-11
		C40™ CLIMATE CONTROL DEVICE	16-015-11
		CONSTANT FLOW VALVE - LOW PRESSURE	16-016-11
		PX4 AIR® - FR	16-019-11-FR
7VTEC® ED		PX4 AIR® - FR, GLOBAL	16-019-11-FR-G
ZYTEC® FR		CONSTANT FLOW VALVE	16-071-11
		CONSTANT FLOW VALVE - CE	16-071-11-CE
		FLOW CONTROL VALVE	16-072-11
		COLD TUBE	16-073-11
	WELDING VISOR	HOT TUBE	16-074-11
		C40™ CLIMATE CONTROL DEVICE	16-075-11
		CONSTANT FLOW VALVE - LOW PRESSURE	16-076-11
		PX4 AIR® - FR	16-079-11-FR
		PX4 AIR® - FR, GLOBAL	16-079-11-FR-G



Z3™ WELDER

HEAD SUSPENSION	AIR FLOW DEVICE	PART#
	CONSTANT FLOW	13-101
LIEAD HADNECC	FLOW CONTROL	13-102
HEAD HARNESS	PX4 AIR® - FR	13-109-FR
	PX4 AIR® - FR, GLOBAL	13-109-FR-G
HARD HAT	CONSTANT FLOW	13-201
	FLOW CONTROL	13-202
	PX4 AIR® - FR	13-209-FR
	PX4 AIR® - FR, GLOBAL	13-209-FR-G

Z100™ SERIES

HEAD SUSPENSION	AIR FLOW DEVICE	PART#
	CONSTANT FLOW	07-161-S
	FLOW CONTROL	07-162-S
LIFAD HADNESS	COLD TUBE	07-163-S
HEAD HARNESS	C40™ CLIMATE CONTROL DEVICE	07-165-S
	PX4 AIR® - FR	07-169-S-FR
	PX4 AIR® - FR, GLOBAL	07-169-S-FR-G
	CONSTANT FLOW	07-261-S
	FLOW CONTROL	07-262-S
HADDHAT	COLD TUBE	07-263-S
HARD HAT	C40™ CLIMATE CONTROL DEVICE	07-265-S
	PX4 AIR® - FR	07-269-S - FR
	PX4 AIR® - FR, GLOBAL	07-269-S-FR-G

NOVA 3®

САРЕ ТҮРЕ	AIR FLOW DEVICE	PART #
	CONSTANT FLOW - LOW PRESSURE	NV3-701-50
	FLOW CONTROL	NV3-702-50
	CONSTANT FLOW - LOW PRESSURE - CE	NV3-711-50
10/4 004	COLD TUBE	NV3-703-50
NYLON	HOT TUBE	NV3-704-50
	C40™ CLIMATE CONTROL DEVICE	NV3-705-50
	PX4 AIR®	NV3-709-50
	PX4 AIR® - GLOBAL	NV3-709-50-G
	CONSTANT FLOW - LOW PRESSURE	NV3-701-51
	FLOW CONTROL	NV3-702-51
10.100.00	CONSTANT FLOW - LOW PRESSURE - CE	NV3-711-51
XL NYLON	COLD TUBE	NV3-703-51
	HOT TUBE	NV3-704-51
	C40™ CLIMATE CONTROL DEVICE	NV3-705-51
	CONSTANT FLOW - LOW PRESSURE	NV3-701-52
	FLOW CONTROL	NV3-702-52
	CONSTANT FLOW - LOW PRESSURE - CE	NV3-711-52
LEATHER	COLD TUBE	NV3-703-52
	HOT TUBE	NV3-704-52
	C40™ CLIMATE CONTROL DEVICE	NV3-705-52
	PX4 AIR® - FR	NV3-709-52-FR
	PX4 AIR® - FR - GLOBAL	NV3-709-52-FR-G



NOVA 3® continued

САРЕ ТҮРЕ	AIR FLOW DEVICE	PART#
	CONSTANT FLOW - LOW PRESSURE	NV3-701-53
	FLOW CONTROL	NV3-702-53
VILLEATUED	CONSTANT FLOW - LOW PRESSURE - CE	NV3-711-53
XL LEATHER	COLD TUBE	NV3-703-53
	HOT TUBE	NV3-704-53
	C40™ CLIMATE CONTROL DEVICE	NV3-705-53
	CONSTANT FLOW - LOW PRESSURE	NV3-701-54
	FLOW CONTROL	NV3-702-54
	CONSTANT FLOW - LOW PRESSURE - CE	NV3-711-54
VI DI ACT JACKET	COLD TUBE	NV3-703-54
XL BLAST JACKET	HOT TUBE	NV3-704-54
	C40™ CLIMATE CONTROL DEVICE	NV3-705-54
	PX4 AIR®	NV3-709-54
	PX4 AIR® - GLOBAL	NV3-709-54-G
	CONSTANT FLOW - LOW PRESSURE	NV3-701-55
	FLOW CONTROL	NV3-702-55
	CONSTANT FLOW - LOW PRESSURE - CE	NV3-711-55
XXL BLAST JACKET	COLD TUBE	NV3-703-55
	HOT TUBE	NV3-704-55
	C40™ CLIMATE CONTROL DEVICE	NV3-705-55
	PX4 AIR®	NV3-709-55
	PX4 AIR® - GLOBAL	NV3-709-55-G

L4™ LIGHT

BATTERY LIFE	POWER ADAPTER	PART#
	US	09-501-4
4-HOUR	AU/NZ	09-501-4AU
4-nour	EU	09-501-4EU
	UK	09-501-4UK
8-HOUR	US	09-501-8
	AU/NZ	09-501-8AU
	EU	09-501-8EU
	UK	09-501-8UK

NOVA 2000®

CAPE TYPE	AIR FLOW DEVICE	PART #
	FLOW CONTROL	NV2000
	COLD TUBE	NV2000CT
STANDARD - NYLON	HOT TUBE	NV2000HT
	CONSTANT FLOW - LOW PRESSURE	NV2000LP
	FLOW CONTROL - CE	NV2000-CE
	FLOW CONTROL	NV2000XL
XL NYLON	COLD TUBE	NV2000XLCT
AL INTLOIN	HOT TUBE	NV2000XLHT
	CONSTANT FLOW - LOW PRESSURE	NV2000XLLP
	FLOW CONTROL	NV2000L
	COLD TUBE	NV2000LCT
LEATHER	HOT TUBE	NV2000LHT
	CONSTANT FLOW - LOW PRESSURE	NV2000LLP
	FLOW CONTROL - CE	NV2000L-CE



ASTRO™

CAPE TYPE	AIR FLOW DEVICE	PART #
STANDARD - NYLON	FLOW CONTROL	02-800
	FLOW CONTROL - CE	02-800-CE
	CONSTANT FLOW - LOW PRESSURE	02-802
LEATHER	FLOW CONTROL	02-800L

NOVA 1[®]

CAPE TYPE	AIR FLOW DEVICE	PART #
STANDARD - NYLON	CONSTANT FLOW DEVICE - LOW FLOW	NV1-01-50
	PX4 AIR®	NV1-09-50
	PX4 AIR® - GLOBAL	NV1-09-50-G

GX4® GAS MONITOR

CO CALIBRATION	POWER OPTIONS	PART#
	POWER ADAPTER - US & CANADA	08-400-01
	POWER ADAPTER - AUSTRALASIA	08-400-01-AU
10PPM	POWER ADAPTER - EUROPE	08-400-01-EU
	POWER ADAPTER - UK	08-400-01-UK
	12V BATTERY CLIPS	08-401-01
5PPM (FOR CANADA ONLY)	POWER ADAPTER - US & CANADA	08-400-02
	12V BATTERY CLIPS	08-401-02

RADEX® FILTER

SYSTEM TYPE	USER CAPABILITY	PART#
AIDLINE FILTED	2	04-900
AIRLINE FILTER	6	04-906
BREATHING AIR SYSTEM	2	04-907
	6	04-908

T100™ SERIES TYCHEM® QC SYSTEMS®

MATERIAL	HEAD SYSTEM	LENS TYPE	BIB LENGTH	AIR FLOW DEVICE	PART #						
					CONSTANT FLOW VALVE	07-101					
				FLOW CONTROL VALVE	07-102						
			CTANDADD	COLD TUBE	07-103						
			STANDARD	C40™ CLIMATE CONTROL DEVICE	07-105						
				PX4 AIR®	07-109						
		STANDARD		PX4 AIR® - GLOBAL	07-109-G						
		STANDARD		CONSTANT FLOW VALVE	07-101-X						
				FLOW CONTROL VALVE	07-102-X						
			EXTRA	COLD TUBE	07-103-X						
		C40™ CLIMATE CONTROL DEVICE	07-105-X								
					PX4 AIR®	07-109-X					
TYCHEM® QC	HEAD			PX4 AIR® - GLOBAL	07-109-X-G						
I TUTEM QU	HARNESS CONSTANT F FLOW CONT COLD STANDARD C40™ CLIMATE COLD PX4 AIR®	HARNESS CONSTANT FLOW VAL FLOW CONTROL VAL COLD TUBE			CONSTANT FLOW VALVE	07-101-S					
				STANDADD			FLOW CONTROL VALVE	07-102-S			
				C40™ CLIMATE CONTROL DEVICE	07-105-S						
		PX4 AIR®	07-109-S								
		CAFETY	SAFETY		PX4 AIR® - GLOBAL	07-109-S-G					
		SAFETY		CONSTANT FLOW VALVE	07-101-SX						
			FLOW CONTROL VALVE	07-102-SX							
			EVIDA	COLD TUBE	07-103-SX						
			EXTRA	C40™ CLIMATE CONTROL DEVICE	07-105-SX						
				PX4 AIR®	07-109-SX						
				PX4 AIR® - GLOBAL	07-109-SX-G						



PRODUCT CATALOG EDITION 4 16 PACKAGES

PACKAGES

T100™ SERIES TYCHEM® QC SYSTEMS® continued

MATERIAL	HEAD SYSTEM	LENS TYPE	BIB LENGTH	AIR FLOW DEVICE	PART #		
			CONSTANT FLOW VALVE	07-201			
				FLOW CONTROL VALVE	07-202		
			CTANDADD	COLD TUBE	07-203		
			STANDARD	C40™ CLIMATE CONTROL DEVICE	07-205		
				PX4 AIR®	07-209		
		CTANDADD		PX4 AIR® - GLOBAL	07-209-G		
		STANDARD		CONSTANT FLOW VALVE	07-201-X		
				FLOW CONTROL VALVE	07-202-X		
			EVIDA	COLD TUBE	07-203-X		
			EXTRA	C40™ CLIMATE CONTROL DEVICE	07-205-X		
						-	PX4 AIR®
TYCHEM® QC		LIADDILIAT					PX4 AIR® - GLOBAL
I YCHEMI' QC			HARD HAI		CONSTANT FLOW VALVE	07-201-S	
					FLOW CONTROL VALVE	07-202-S	
			COLD TUBE	07-203-S			
				STANDARD -	C40™ CLIMATE CONTROL DEVICE	07-205-S	
			PX4 AIR®	PX4 AIR®	07-209-S		
				PX4 AIR® - GLOBAL	07-209-S-G		
		SAFETY		CONSTANT FLOW VALVE	07-201-SX		
					FLOW CONTROL VALVE	07-202-SX	
				EVTDA	COLD TUBE	07-203-SX	
			EXTRA	C40™ CLIMATE CONTROL DEVICE	07-205-SX		
				PX4 AIR®	07-209-SX		
				PX4 AIR® - GLOBAL	07-209-SX-G		

T100[™] SERIES TYCHEM[®] SL SYSTEMS[®]

MATERIAL	HEAD SYSTEM	LENS TYPE	BIB LENGTH	AIR FLOW DEVICE	PART #			
					CONSTANT FLOW VALVE	07-151		
				FLOW CONTROL VALVE	07-152			
			CTANDADD	COLD TUBE	07-153			
			STANDARD	C40™ CLIMATE CONTROL DEVICE	07-155			
				PX4 AIR®	07-159			
		CTANDADD		PX4 AIR® - GLOBAL	07-159-G			
		STANDARD		CONSTANT FLOW VALVE	07-151-X			
				FLOW CONTROL VALVE	07-152-X			
			EXTRA	COLD TUBE	07-153-X			
			EXTRA	C40™ CLIMATE CONTROL DEVICE	07-155-X			
				PX4 AIR®	07-159-X			
TYCHEM® SL	HEAD		PX4 AIR® - GLOBAL	07-159-X-G				
I TOHEW SE	HARNESS		CONSTANT FLOW VALVE	07-151-S				
				FLOW C			FLOW CONTROL VALVE	07-152-S
		STANDARD C40™		STANDADD	COLD TUBE	07-153-S		
			C40™ CLIMATE CONTROL DEVICE	07-155-S				
		PX4 AIR®	07-159-S					
			OAFFTY.	PX4 AIR® - GLOBAL	07-159-S-G			
		SAFETY	CONSTANT FLOW VALVE	07-151-SX				
				FLOW CONTROL VALVE	07-152-SX			
				EXTRA	COLD TUBE	07-153-SX		
			EATRA	C40™ CLIMATE CONTROL DEVICE	07-155-SX			
				PX4 AIR®	07-159-SX			
				PX4 AIR® - GLOBAL	07-159-SX-G			



T100™ SERIES TYCHEM® SL SYSTEMS® continued

MATERIAL	HEAD SYSTEM	LENS TYPE	BIB LENGTH	AIR FLOW DEVICE	PART#						
			CONSTANT FLOW VALVE	CONSTANT FLOW VALVE	07-251						
				FLOW CONTROL VALVE	07-252						
			CTANDA DD	COLD TUBE	07-253						
			STANDARD	C40™ CLIMATE CONTROL DEVICE	07-255						
				PX4 AIR®	07-259						
		CTANDADD		PX4 AIR® - GLOBAL	07-259-G						
		STANDARD		CONSTANT FLOW VALVE	07-251-X						
				FLOW CONTROL VALVE	07-252-X						
		EXTRA	COLD TUBE	07-253-X							
		EXTRA	EXIRA	C40™ CLIMATE CONTROL DEVICE	07-255-X						
				PX4 AIR®	07-259-X						
TYCHEM® SL	HARD HAT	HADDHAT	LIADDILIAT	114001147			LIADDILIAT			PX4 AIR® - GLOBAL	07-259-X-G
I ACHEMIA 2F				STANDARD	CONSTANT FLOW VALVE	07-251-S					
						FLOW CONTROL VALVE	07-252-S				
		STANDA			STANDARD			CTANDARD	CTANDADD	COLD TUBE	07-253-S
						C40™ CLIMATE CONTROL DEVICE	07-255-S				
		PX4 AIR®		PX4 AIR®	07-259-S						
		CAFETY		PX4 AIR® - GLOBAL	07-259-S-G						
	SAFETY		CONSTANT FLOW VALVE	07-251-SX							
				FLOW CONTROL VALVE	07-252-SX						
			EVTDA	COLD TUBE	07-253-SX						
			EXTRA	C40™ CLIMATE CONTROL DEVICE	07-255-SX						
				PX4 AIR®	07-259-SX						
				PX4 AIR® - GLOBAL	07-259-SX-G						

T150™ SERIES

HEAD SUSPENSION	FACE SEAL	AIR FLOW DEVICE	PART#
		CONSTANT FLOW	11-901
		FLOW CONTROL	11-902
	TPR	CONSTANT FLOW - LOW PRESSURE	11-906
		PX4 AIR®	11-909
DUDDED		PX4 AIR® - GLOBAL	11-909-G
RUBBER		CONSTANT FLOW	11-901-S
		FLOW CONTROL	11-902-S
	SILICON	CONSTANT FLOW - LOW PRESSURE	11-906-S
		PX4 AIR®	11-909-S
		PX4 AIR® - GLOBAL	11-909-S-G
		CONSTANT FLOW	11-901-C
		FLOW CONTROL	11-902-C
	TPR	CONSTANT FLOW - LOW PRESSURE	11-906-C
		PX4 AIR®	11-909-C
COMFORT		PX4 AIR® - GLOBAL	11-909-C-G
COMFORT		CONSTANT FLOW	11-901-CS
		FLOW CONTROL	11-902-CS
	SILICON	CONSTANT FLOW - LOW PRESSURE	11-903-CS
		PX4 AIR®	11-909-CS
		PX4 AIR® - GLOBAL	11-909-CS-G

PX4 AIR® PAPR

BELT MATERIAL	POWER OPTIONS	PART #
NIVI ON	US	03-901
NYLON	GLOBAL	03-901-G
FR -	US	03-901-FR
	GLOBAL	03-901-FR-G





FULL PARTS INDEX



Z-LINK®

ow Meter 04- ed Air Breathing Tube 04- ir® Breathing Tube (for Z-Link®) 04-	RT #
ow Meter 04- ed Air Breathing Tube 04- ir® Breathing Tube (for Z-Link®) 04-	-90
ed Air Breathing Tube 04- ir® Breathing Tube (for Z-Link®) 04-	
ir® Breathing Tube (for Z-Link®) 04-	-09
	830
	83
Magnifying Lens 1.0 13-0	72-
Magnifying Lens 1.5 13-072	2-1.
Magnifying Lens 2.0 13-0	72-
Magnifying Lens 2.5 13-072	2-2.
et Shell 16	5-51
ncludes 16-515) 16	-514
eal 16	-51
adding System 16-52	20-9
stem (includes 16-520-T, 16-521, 16-522, 16-525,	
6, 16-530, 16-531) 16-5 2	20-
t Absorber 16	-52
ort Pad 16-	522
Harness System Bracket and Air Deflector 16-	52
Pad 16-	526
adding Frames 16-	-52
Side Pads 16-	528
et Assembly 16-	530
Harness (includes 16-530) 16-	-53
16	6-61
ng Visor (includes ADF Lens) 16-	670
ng Visor 16	-67
ng Lens Retainer 16-	672
Visor Attachment Clips 16-	67:
FR Face Seal 16	5-71
m® QC Face Seal 16	-712
m® SL Face Seal 16	-713
FR Shoulder Cape 16	-72
m® QC Shoulder Cape 16-	-72
m [®] SL Shoulder Cape 16 -	72:
Lens Anti Fog/Anti Scratch 16-	-810
Lens - Infared (shade 3) 16-810	-IR
Lens - Infared (shade 5) 16-810	-IR
Lens - Mirror Tinted Anti Fog 16-810)-M
Lens - Smoke Tinted Anti Fog/Anti Scratch 16-810)-S
Lens - Yellow Tinted Anti Fog/Anti Scratch 16-810)-Y
ff Lens (pk 50) 16	5-81
ens 16	-87
	-872
	87:
	87
unication System - Intrinsically Safe 16-92	
	92

COMMS-LINK®

PAGE 24	PART#
Push to Talk Button - Intrinsically Safe	09-813
Push to Talk Button	09-913
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Communication Retainer Clip	16-529
Communication System - Intrinsically Safe (includes 16-529)	16-921-IS
Communication System (includes 16-529)	16-922

Z3™ WELDER

PAGE 33	PART#
Supplied Air Breathing Tube (for Z3™)	03-031
Swivel Air Filling Elbow	03-032
PX4 Air® Breathing Tube (for Z3™)	04-839
Hose Holder	13-041
Head Harness	13-042
Comfort Padding (Sweat Band, Neck Pad)	13-043
Hard Hat Adapter Clips	13-045
Outer Lens Frame	13-050
Outer Lens Frame Seals	13-051
Impact Lens (pk 10)	13-052
Ultra Rear Lens (pk 10) (107mm x 71.5mm)	13-054
ADF Ultra Filter (107.5mm x 71.5mm)	13-062
Magnifying Lens Holder	13-071
Ultra Magnifying Lens 1.0	13-072-1
Ultra Magnifying Lens 1.5	13-072-1.5
Ultra Magnifying Lens 2.0	13-072-2
Ultra Magnifying Lens 2.5	13-072-2.5
Welding Shield	13-310
Flex Face Seal	13-323
Hard Hat (includes 13-045)	13-325

Z100™ SERIES

PAGE 42	PART#
Constant Flow Valve Assembly (NIOSH approved)	03-101
Constant Flow Valve Assembly (CE approved)	03-102
Quick Release Hose Tail with 3/8" NPT	03-110
Adaptor: 1/4" RPB® Plug to 3/8" NPT Male	03-111
PX4 Air® Breathing Tube (for Z100™)	04-836
Head Harness Mounting Clips (pk 2)	07-121
Hose Clamp (single bond nylon, 1-13/32)	07-122
Peel-off Lens (pk 50)	07-123
Hard Hat Clip (for 07-721)	07-125
Hard Hat (includes 07-125 Hard Hat Clip)	07-126

Z100™ SERIES continued

PAGE 42	PART#
Zytec® FR Hood with Safety Lens	07-160-S
Head Suspension	07-920
Brow Pad (for 07-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Silenced Cool Tube Assembly	4000-40
Supplied Air Breathing Tube (for Z100™)	NV2021F
Safety Quick Release Tail 1/4" Male Thread	NV2032CE

NOVA 3®

PAGE 50	PART #
PX4 Air® Breathing Tube (for Nova 3®)	04-838
Adjustable Head Support	07-900
nner Bib	NV2012
Oomes	NV2041
Supplied Air Breathing Tube (for Nova 3®)	NV2021B
nner Gasket	NV3-721
nner Lens (pk 10)	NV3-722
Finted Inner Lens (pk 10)	NV3-722-T
nner Lens Frame	NV3-723
Outer Lens (pk 50)	NV3-724
ear-off Lens (pk 50)	NV3-725
/isor Kit (includes Hinge and Latch)	NV3-726
linge Lock	NV3-727-2
/isor Mount Kit	NV3-727/8
Air Inlet Kit	NV3-729
Padding Connections (left and right)	NV3-730
Side Padding Frames (left and right)	NV3-731
Side Padding Foam and Covers 10mm	NV3-732-A10
Side Padding Foam and Covers 15mm	NV3-732-A15
Side Padding Foam and Covers 20mm	NV3-732-A20
Side Padding Covers (5 pairs)	NV3-733
Head Liner Kit (includes NV3-734-1)	NV3-734
Head Liner Clips (pk 4)	NV3-734-1
Head Liner Foam Padding	NV3-735
Neck Pad	NV3-735-1
Cassette Lens System	
5 Tear-off and Outer Lens fused together)	NV3-745
Nylon Respirator Cape	NV3-750
Extra Length Nylon Respirator Cape	NV3-751
eather Respirator Cape	NV3-752
Extra Length Leather Respirator Cape	NV3-753
Blast Jacket size XL	NV3-754
Blast Jacket size XXL	NV3-755
Cape Cover Band	NV3-759

NOVA 3® TALK™

PAGE 59	PART#
Push to Talk Button - Intrinsically Safe	09-813
Chest Harness	09-814
Raider High Noise Headset	09-815
Raider High Noise Headset - Intrinsically Safe (includes PTT)	09-816
Push to Talk Button	09-913
R-Tex High Noise Headset	09-915
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934
Intrinsically Safe Headset for Nova Talk™	
(includes Side Padding, pair)	09-803
Side Padding Covers (for Nova 3® Talk™ 5 pairs)	NV3-733TK

L4™ LIGHT

PAGE 70	PART #
AC Power Cable - US	09-021
AC Power Cable - AU/NZ	09-021-AU
AC Power Cable - EU	09-021-EU
AC Power Cable - UK	09-021-UK
L4™ Light and Mount Unit (includes 09-520)	09-510
Mounting Clip	09-520
Outer Lens (pk 10)	09-522
Light Cable	09-524
Battery Charger (AC cable not included)	09-525
Battery Pack (4 hour)	09-530-4
Battery Pack (8 hour)	09-530-8

NOVA 2000[®]

PART	PAGE 78
NV20	Nylon Respirator Cape
NV2002	Extra Length Nylon Respirator Cape
NV200	Leather Respirator Cape
NV2002HB-	Nylon Blast Jacket size XL
NV2002HB-X	Nylon Blast Jacket size XXL
NV20	Window Frame Gasket
NV20	Visor Kit
NV2006	Air Inlet Assembly
NV2006/7	Air Inlet Assembly (for Helmets with Low Flow Indicators)
NV20	Latch Kit
NV20	Helmet Liner size Medium
NV2009	Helmet Liner size Large



FULL PARTS INDEX



NOVA 2000® continued

PAGE 78	PART#
Helmet Liner size Small	NV2009SH
Hygiene Kit (includes 2 alcohol wipes) size Medium	NV2009/10
Hygiene Kit (includes 2 alcohol wipes) size Large	NV2009/10LH
Hygiene Kit (includes 2 alcohol wipes) size Small	NV2009/10SH
Side Wings (pair) size Medium	NV2010
Side Wings (pair) size Large	NV2010LH
Side Wings (pair) size Small	NV2010SH
Side Wings (pair, for wearers with glasses) size Medium	NV2010G
Side Wings (pair, for wearers with glasses) size Large	NV2010GLH
Side Wings (pair, for wearers with glasses) size Small	NV2010GSH
Inner Bib	NV2012
Cape Cover Band	NV2013
Tear-off Lens (pk 50)	NV2017
Inner Lens (pk 10)	NV2018
Tinted Inner Lens (pk 10)	NV2018-T
Supplied Air Breathing Tube (for Nova 2000®)	NV2021
Outer Lens (pk 50)	NV2031
Velstuds (pk 8)	NV2038
Domes	NV2041
Hand Strap	NV2042

NOVA 2000® TALK™

PAGE 85	PART#
Headset (includes Side Wings, pair)	09-811
Side Wings (pair)	09-812
Push to Talk Button - Intrinsically Safe	09-813
Chest Harness	09-814
Raider High Noise Headset - Intrinsically Safe	09-815
Raider High Noise Headset - Intrinsically Safe (includes PTT)	09-816
Side Wings (pair, includes Headset)	09-911
Side Wings (pair, without Headset)	09-912
Push to Talk Button	09-913
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930
Motorola Connection Cable (multi-pin)	09-931
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934

NOVA 1®

PAGE 96	PART#
Visor Strap (pk 5)	02-805
Window Gasket Seal	02-807
Inner Lens (pk 10)	02-810

NOVA 1® continued

PAGE 96	PART#
Tinted Inner Lens (pk 10)	02-810-T
Outer Lens (pk 50)	02-811-015
Tear-off Lens (pk 50)	02-816
PX4 Air® Breathing Tube (for Nova 1®)	04-838
Helmet Dome Holder	NV1-123
/isor Kit	NV1-124
Helmet Liner size Medium	NV2009
Helmet Liner size Large	NV2009LH
Helmet Liner size Small	NV2009SH
Hygiene Kit (includes 2 alcohol wipes) size Small	NV2009/10SH
Hygiene Kit (includes 2 alcohol wipes) size Medium	NV2009/10
Hygiene Kit (includes 2 alcohol wipes) size Large	NV2009/10LH
Side Wings (pair) size Small	NV2010SH
Side Wings (pair) size Medium	NV2010
Side Wings (pair) size Large	NV2010LH
Side Wings (pair, for wearers with glasses) size Small	NV2010GSH
Side Wings (pair, for wearers with glasses) size Medium	NV2010G
Side Wings (pair, for wearers with glasses) size Large	NV2010GLH
nner Bib	NV2012
Supplied Air Breathing Tube (for Nova 1®)	NV2021B
Low Flow Indicator Assembly	NV2030
/elstuds	NV2038
Domes	NV2041
Air Inlet	NV3-729
Nylon Respirator Cape	NV3-750
Extra Length Nylon Respirator Cape	NV3-751
Leather Respirator Cape	NV3-752
Extra Length Leather Respirator Cape	NV3-753
Blast Jacket size XL	NV3-754
Blast Jacket size XXL	NV3-755
Cape Cover Band	NV3-759

NOVA 1® TALK™

PAGE 105	PART#
Headset (includes Side Wings, pair)	09-81
Side Wings (pair)	09-812
Push to Talk Button - Intrinsically Safe	09-813
Chest Harness	09-814
Raider High Noise Headset - Intrinsically Safe	09-815
Raider High Noise Headset - Intrinsically Safe (includes PTT)	09-816
Side Wings (pair, includes Headset)	09-91
Side Wings (pair, without Headset)	09-912
Push to Talk Button	09-913
R-Tex High Noise Headset (includes PTT)	09-916
Motorola Connection Cable (two-pin)	09-930

NOVA 1® TALK™continued

PAGE 105	PART #
Motorola Connection Cable (multi-pin)	09-93
Motorola Connection Cable (multi-pin)	09-932
Kenwood Connection Cable (two-pin)	09-933
Motorola Connection Cable (multi-pin)	09-934

ASTRO™

PAGE 116	PART#
Visor Kit (includes Strap and Screws)	02-804
Visor Strap (pk 5)	02-805
Cleat and Screws	02-806
Window Gasket Seal	02-807
Suspension Clips (pk 4)	02-808
Head Harness (NIOSH approved)	02-809
Inner Lens (pk 10)	02-810
Tinted Inner Lens (pk 10)	02-810-T
Outer Lens (pk 50)	02-811-015
Cape Cover Band	02-812
Nylon Respirator Cape	02-813
Leather Respirator Cape	02-814
Tear-off Lens (pk 50)	02-816
Air Inlet Assembly	NV2006/7
Air Inlet Assembly (for Helmets with Low Flow Indicators)	NV2006/7CE
Inner Bib	NV2012
Supplied Air Breathing Tube (for Astro™)	NV2021
Low Flow Indicator Assembly	NV2030
Domes	NV2041
Hand Strap	NV2042

T100™ SERIES

PAGE 126	PART#
Constant Flow Valve Assembly (NIOSH approved)	03-101
Constant Flow Valve Assembly (CE approved)	03-102
Quick Release Hose Tail with 3/8" NPT	03-110
Adaptor: 1/4" RPB® Plug to 3/8" NPT Male	03-111
PX4 Air® Breathing Tube (for T100™)	04-836
Tychem® QC Hood	07-110
Tychem® QC Hood, Safety Lens	07-110-S
Tychem® QC Hood, Extra Length Bib	07-110-X
Tychem® QC Hood, Extra Length Bib, Safety Lens	07-110-SX
Head Harness Mounting Clips (pk 2)	07-121
Hose Clamp (Single Bond Nylon, 1-13/32)	07-122
Peel-off Lens (pk 50)	07-123
Hard Hat Clip (for 07-721)	07-125
Hard Hat (includes 07-721 and 07-125 Hard Hat Clip)	07-126
Tychem® SL Hood (chemical)	07-150

T100™ SERIES continued

PAGE 126	PART#
Tychem® SL Hood (chemical), Safety Lens	07-150-S
Tychem® SL Hood (chemical), Extra Length Bib	07-150-X
Tychem® SL Hood (chemical),Extra Length Bib, Safety Lens	07-150-SX
Head Suspension	07-920
Brow Pad (for 078-920, pk 5)	07-924
Chin Strap (for 07-920 and 07-721)	07-926
Silenced Cool Tube Assembly	4000-40
Supplied Air Breathing Tube (for T100™)	NV2021F
Safety Quick Release Tail 1/4" Male Thread	NV2032CE

T150™ SERIES

PAGE 136	PART #
Supplied Air Breathing Tube (for T150™)	03-031
Swivel Air Filting Elbow	03-032
PX4 Air® Breathing Tube (for T150™)	04-839
Visor and Rubber Face Seal	11-910
Visor and Silicon Face Seal	11-910-9
Inner Face Seal	11-911
Inhalation Valve	11-912
Clamping Band	11-913
Visor and Valves	11-914
Inhalation Valve (for Inner Face Seal)	11-915
TPR Face Seal	11-916
Silicon Face Seal	11-916-9
Tear-off Lens (pk 50)	11-924
Rubber Head Suspension	11-933
Comfort Nylon Head Suspension	11-934
Breathing Tube Bracket	11-948

PX4 AIR® PAPR

PAGE 146	PART #
Swivel Air Filling Elbow	03-032
Fan Housing	03-911
Fan Housing - Low Flow	03-912
Filter Door	03-921
Door Cover	03-922
Door Latch	03-923
Belt Loops (pair)	03-924
Complete Charger Kit - US	03-950
Complete Charger Kit - AU/NZ	03-950-AU
Complete Charger Kit - EU	03-950-EU
Complete Charger Kit - UK	03-950-UK
Baltery Charger	03-951
24 Volt Power Supply Unit - US	03-952
24 Volt Power Supply Unit - AU/NZ	03-952-AU



FULL PARTS INDEX



PX4 AIR® PAPR continued

PAGE 146	PART #
24 Volt Power Supply Unit - EU	03-952-EU
24 Volt Power Supply Unit - UK	03-952-UK
Battery	03-955
Belt Supports (pair)	03-965
Pre-filter (pk 10)	03-981
Spark Arrestor	03-982
P100 Filter Cartridge	03-985
Flow Meter	04-091
PX4 Air® Breathing Tube (for Z-Link®)	04-835
PX4 Air® Breathing Tube (for T100™, Z100™)	04-836
PX4 Air® Breathing Tube (for Nova 3®)	04-838
PX4 Air® Breathing Tube (for Z3™, T150™)	04-839
2" Bell with Nylon Buckle	07-765
2" NOMEX® Belt with Acetal Buckle	07-765-FR
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - EU	09-021-EU
Power Cable - UK	09-021-UK

GX4® GAS MONITOR

PART#	PAGE 156
08-227-F	12 Volt Cable with Battery Clips
08-23	Aluminum Wall Bracket
08-420-0	Gas Sensor Cartridges - Carbon Monoxide 10ppm
08-420-02	Gas Sensor Cartridges - Carbon Monoxide 5ppm
08-420-03	Gas Sensor Cartridges - Hydrogen Sulfide 10ppm
08-420-04	Gas Sensor Cartridges - Oxygen 19.5% - 23%
08-420	Blank Sensor Case
08-422	Sensor Manifold Tube
08-424	Heavy Duty Field Case
08-425	Mounting Bracket (pair)
08-428	Air Supply Hose and One Touch Connector
08-429	M5 Inlet Filter, Sintered Brass
08-430	Power Adapter Pack - US
08-430-AL	Power Adapter Pack - AS/NZ
08-430-Uk	Power Adapter Pack - UK
08-430-EU	Power Adapter Pack - EU
08-434	Auxiliary Cable 50' with Bare End
08-435	Auxiliary Strobe Light with 50' Cable
08-436	Auxiliary Strobe and Alarm Tower with 50' Cable
08-450	Calibration Adapter Kit
	Calibration Flow Regulator 1.5 SLPM
08-45	(includes 08-450, for Zero Air and CO gas bottles)
	Calibration Flow Regulator 1.5 SLPM
08-45	(includes 08-450, for H ₂ S gas bollles)
08-460	Zero Air
08-46	CO 20ppm in Air

GX4® GAS MONITOR continued

PAGE 156	PART#
Power Cable - US	09-021
Power Cable - AU/NZ	09-021-AU
Power Cable - UK	09-021-UK
Power Cable - EU	09-021-EU

RADEX® AIRLINE FILTER

PAGE 169	PART#
1/4" Coupler 3/8" FNPT	04-911
3/8″ Brass Tee	04-912
3/8″ Brass Cap	04-913
Pressure Regulator	04-914
Pressure Gauge	04-915
Pressure Relief Valve (125 psi)	04-916
3/8" Brass Nipple	04-917
Filler Lid (for 04-900)	04-918
O-ring (set of 2)	04-919
Bolt, Nut, Washer (set of 4)	04-920
Filler Body	04-921
Brass Drain Tap	04-922
Base Mount	04-923
Auto Drain Unit	04-924
Micro Mist Filter 1/2"	04-925
1" x 1/2" Reducing Nipple	04-926
Mainline Pre-filter	04-927
Brass Elbow	04-928
Filter Element (for 04-927 Mainline Pre-filter)	04-929
Micro Mist Element (for 04-925 Micro Mist Filter)	04-930
Auto Drain Assembly (for 04-924 Auto Drain Unit)	04-931
Six Outlet Filter Lid	04-961
Super High Low Regulator	04-962
Pressure Gauge (for 04-962)	04-963
1/4" Coupler 3/8" MNPT (to fit 04-965 Manifold)	04-964
6 Outlet Manifold	04-965
1" NPT Hex Nipple	04-966
Replacement Filter Cartridge (generic)	AFC100
Replacement Radex® Filter Cartridge	APF3100
Inlet Filter Element	9700-01
Exhaust Filter Element	9700-02
Pressure Relief Valve	9700-03
Pressure Gauge	9700-04
Inlet Filter Assembly (includes 9700-01)	9700-08
Exhaust Filter Canister	9700-15
1/2" Hansen Coupler	9700-72AD

AIR SUPPLY

PAGE 178	PART#
1/2" Hansen Coupler	9700-72AD
Quick Release 3/8" Hose Tail	NV2024
Quick Release Coupler 1/4" Female Thread	NV2025
100' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)	NV2027
25' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)	NV2028
10m Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings)	NV2028CE
50' Breathing Air Supply Hose 3/8" Diameter (includes Quick Release Fittings)	NV2029
3/8" Hose Tail 1/4" Male Thread	NV2033
50' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings')	NV2035
100' Breathing Air Supply Hose 1/2" Diameter (includes Quick Release Fittings')	NV2036

C40™ CLIMATE CONTROL DEVICE

PAGE 186	PART#
1/4" Plug to 1/4" NPT Male Swivel	03-012-PMS
1/4" Safety Plug to 1/4" NPT Male Swivel	03-022-PMS
U Tube Assembly	03-510
Bottom Case	03-514
Top Case Assembly	03-521
Exhaust Assembly	03-522
Silencer Assembly	03-526
Inlet Collar	03-536
Silencers (pair)	03-537
Belt	NV2022

FLOW CONTROL

PAGE 192	PART #
Constant Flow Valve Assembly (NIOSH approved)	03-101
Constant Flow Valve Assembly (CE approved)	03-102
Constant Flow Valve - Low Pressure	03-106
Adaptor: 1/4" RPB® Plug to 3/8" NPT Male	03-111
Cold Air Tube Assembly	4000-01
Top Thread Cap BSP Thread (for 4000-01)	4000-03
Top Thread Cap GHT Thread (for 4000-20)	4000-03GHT
Cold Air Spinner	4000-04
Cool Air Tube Body	4000-05 B
Hot Air Tube Body	4000-05R
Quick Release Tail 1/4" Male Thread	4000-06
Breaker	4000-07
Regulator Body	4000-08

FLOW CONTROL continued

PAGE 192	PART #
Spindle and Knob	4000-09
Locking Screw	4000-10
Regulator Assembly	4000-11
Temperature Shield	4000-12
Hot Air Spinner	4000-13
Flow Reducer	4000-14
Outlet Valve	4000-15
Silencer Disc	4000-16
Silencer Disc - Brass	4000-16B
Retainer Nut	4000-17
Outlet Valve Complete Assembly	4000-18
Outlet Valve (for 4000-40)	4000-38
Hot Air Tube Assembly	4000-20
Silenced Cool Air Tube Assembly	4000-40
Constant Flow Valve - Low Pressure	NV2015
Flow Control Valve (NIOSH)	NV2016
Flow Control Valve (CE)	NV2016CE
Belt Complete with Buckles	NV2022
Safety Quick Release Tail 1/4" Male Thread	NV2032CE
Adapter 1/2" Low Pressure Plug to 3/8" NPT Male Thread	NV2034

BLAST SUIT

PAGE 200	PART #
Blast Suit size Small	07-755-S
Blast Suit size Medium	07-755-M
Blast Suit size Large	07-755-L
Blast Suit size XL	07-755-XL
Blast Suit size XXL	07-755-XXL
Blast Suit size XXXL	07-755-XXXL
Blast Suit size XXXXL	07-755-XXXXL

SAFETY ESSENTIALS

PAGE 204	PART#
Safety Glasses - Clear	18-221-0
Safety Glasses - Smoked	18-221-S
Plus Safety Glasses - Clear	18-241-0
Plus Safety Glasses - Smoked	18-241-S
Ultra Safety Glasses - Clear	18-261-0
Ultra Safety Glasses - Smoked	18-261-S
S100™ Ear Plugs	18-322
Do-Rag	05-613
Head Sock	05-601
Double Palm Leather Blasting Gloves	07-701
Knee Pads (pair)	07-761



